



AMP®

PRODUCT **CATALOG**

The Pro's Choice for Outdoor Lighting and Audio

ABOUT AMP

AMP® Lighting designs, manufactures, and distributes the most advanced and durable products on the market. Our focus is supporting the success of lighting professionals and their customers.

We serve professionals in many ways – easy ordering, fast shipping, hassle-free lifetime warranty protection, and providing them with uniquely effective sales and marketing tools. With AMP® Lighting, professionals can be more successful, more efficient, and have more freedom to paint the perfect picture with precision and control.

Homeowners benefit from hiring authorized AMP® Professionals; they create transformational lighting that satisfies all the safety, security, and beauty needs of nighttime illumination.



**SOLID
CAST BRASS**



**LIFETIME
WARRANTY**



**FAST FREE
SHIPPING**



LISTED

**UL & ETL
LISTED**

AMP

AMPLIGHTING.COM




TABLE OF CONTENTS

AMP IQ	6
AMP SECURE	10
AMP SYMPHONY	14
NANO SERIES	16
SPOTLIGHTS	20
DOWNLIGHTS	30
PATH LIGHTS	34
DECORATIVE PATH LIGHTS	44
FLOOD LIGHTS	50
DECK & STEP LIGHTS	60
WELL & IN-GRADE LIGHTS	64
HARDSCAPE LIGHTS	74
UNDERWATER LIGHTS	88
LED LAMPS	94
TRANSFORMERS	100
ACCESSORIES	104



THE PRO'S CHOICE FOR SMART LANDSCAPE LIGHTING



AMP iQ™ is a secure, U.S. cloud-based, wireless control system designed for your customers to fully customize their landscape lighting right from their mobile device.



Full RGBCW Capabilities



Automations & Schedules



Individual Fixture Control & Grouping



Custom Dynamic Effects



Bluetooth Mesh Network



Easy Installation



Downloadable on iOS & Android



Alexa® & Google® Integration

SMART LANDSCAPE LIGHTING SYSTEM



FEATURES & BENEFITS



Remote Control: Securely access and manage AMP iQ™ smart landscape lighting from anywhere, supported by U.S.-based servers.



Quick Setup: Easily add and customize fixtures in minutes to get the AMP iQ™ lighting system up and running fast.



Full Color Changing: Select from millions of colors, pre-set colors, and set favorites to create the ideal ambiance for any event, holiday, or mood.



Color Temperature Adjustment: Fine-tune white light temperatures and brightness levels, or select from 6 pre-sets (2200K, 2500K, 2700K, 3000K, 3500K, or 4000K) to suit any outdoor setting.



Custom Presets: Save preferred lighting setups, or choose from pre-sets (i.e. Christmas, Patriotic, etc.), and apply them instantly.



Automatic Scheduling: Set on/off schedules based on sunset and sunrise to automate lighting times.



Voice Control: Control lighting hands-free with Alexa® and Google Assistant® integration.



Hassle-Free Lifetime Warranty: Covering all fixtures





ALL SMART ACCESSORIES



AMP IQ GATEWAY

- THIS COMPONENT LIVES INSIDE THE HOME, CONNECTS TO THE WIFI, AND TALKS TO THE FIXTURES AND TRANSFORMER VIA BLUETOOTH




AMP IQ REPEATER HUB

- WORKS AS A TRADITIONAL HUB AND A BLUETOOTH SIGNAL REPEATER



AMP IQ SMART LOW VOLTAGE TRANSFORMER

Ⓢ 300W ⚡ 15V




Bluetooth Mesh Connection

AMP IQ uses the latest Bluetooth Mesh technology for reliable communication between fixtures. With capabilities of up to 100 feet between fixtures for consistent performance. The robust AMP IQ network allows each fixture to continuously send and receive data providing greater installation flexibility.

Easily install the AMP IQ lighting system for large and small installations. The Bluetooth Mesh technology provides excellent connectivity around obstacles like concrete walls or barriers, large trees and architectural elements. Additional devices, such as the AMP IQ Repeater Hub offer additional assistance around solid obstacles. Once the lights and devices are energized the AMP IQ app automatically discovers the devices and with a tap in the app, they become associated and create a mesh network. Within a few minutes the system is ready for use and can be controlled globally with your personal device.

ALL SMART FIXTURES




**AMP IQ SMART RGBCW
LEDSPOTLIGHT**

⚡ 20VA 💡 1047lm



**AMP IQ SMART RGBCW
LED DECK LIGHT**

⚡ 5VA 💡 95lm




**AMP IQ SMART RGBCW
LED IN-GRADE LIGHT**

⚡ 20VA 💡 940lm




**AMP IQ SMART RGBCW
LED 3\"/>**

⚡ 3VA 💡 147lm



**AMP IQ SMART RGBCW
LED 6\"/>**

⚡ 6VA 💡 277lm




**AMP IQ SMART RGBCW
LED 12\"/>**

⚡ 10VA 💡 500lm




**AMP IQ SMART RGBCW
LED MAGNUMPRO**

⚡ 8VA 💡 217lm



**AMP IQ SMART RGBCW
LED CONICAPRO**

⚡ 8VA 💡 217lm



**AMP IQ SMART RGBCW
LED SUMMITPRO**

⚡ 8VA 💡 217lm



AMP[®] SECURE



SELECTABLE
LUMEN OUTPUT



SELECTABLE CCT



SINGLE PERSON
INSTALL




5-STAGE MARINE-GRADE
POWDER COAT



INTEGRATED
CONTROLS



UNIFIED DESIGN
AESTHETIC



UNIVERSAL
VOLTAGE



5-YEAR WARRANTY



Introducing AMP SECURE™, a contractor-direct outdoor lighting solution with universal voltage (120-277V), offering reliable control and performance for commercial and residential projects.

ALL SECURE FIXTURES

All fixtures have CCT selections of 3000K, 4000K, & 5000K



Modern Area Light with Arm Mount

ASA-4301-90S-UNV-S-AM-T4-A
13,000 Lumen Max
40W/60W/80W/90W



Modern Area Light with Slipfitter Mount

ASA-4301-90S-UNV-S-SF-T4-A
13,000 Lumen Max
40W/60W/80W/90W



Modern Area Light with Trunnion Mount

ASA-4301-90S-UNV-S-TR-T4-A
13,000 Lumen Max
40W/60W/80W/90W



Low Profile Wall Pack

AWP-4401-85S-UNV-S-A
11,500 Lumen Max
25W/45W/65W/85W



35W Contemporary Flood Light

AFL-4034-35S-UNV-S-A
5,000 Lumen Max
15W/25W/35W



80W Contemporary Flood Light

AFL-4035-80S-UNV-S-A
12,000 Lumen Max
40W/60W/80W





Decorative Barn Light

ABLM-4201-40S-UNV-A-BK
4,700 Lumen Max
22W/40W

● BLACK ● WHITE



Adjustable Wall Flood Light

AFL-4036-25S-UNV-S-A
3,200 Lumen Max
15W/25W

● BRONZE ● BLACK ● WHITE



Twin Head Round Security Light

AFL-4037-30S-LI-S-A
3,800 Lumen Max
15W/25W

● BLACK ● WHITE



Twin Head Round with Motion Sensor

AFL-4038-30S-MS-LI-S-A
3,800 Lumen Max
15W/25W

● BLACK ● WHITE



Twin Head Rectangular Security Light

AFL-4039-30S-LI-S-A
2,900 Lumen Max
15W/25W

● BLACK ● WHITE



Twin Head Rectangular with Motion Sensor

AFL-4040-30S-MS-LI-S-A
2,900 Lumen Max
15W/25W

● BLACK ● WHITE



AMP[®] SYMPHONY

LIGHTING & AUDIO IN PERFECT HARMONY

Whether your clients want to set the mood or turn up the energy, AMP[®] Symphony brings immersive sound to outdoor living areas. This Bluetooth outdoor audio system is fast and easy to install - no wire cutting or splicing required. Featuring plug-and-play connections and universal mounting options, AMP[®] Symphony is a simple add-on to landscape lighting projects.

OUTDOOR AUDIO SYSTEM FEATURES & BENEFITS



1 Hour Install



Premium Grade Materials



Flexible Mounting Options



Adjustable Speaker Knuckle



Driver & Tweeter Combination



System Expandability






PRECISELY-AIMED AUDIO

Unlike many outdoor speakers that offer fixed positioning, AMP® Symphony satellite speakers feature a 150° pivoting arm for precise sound direction. This adjustability allows the audio to be directed exactly where it's needed - enhancing the listening experience while minimizing sound spillover into unwanted areas.




BASS THAT BLENDS IN

The Symphony subwoofer delivers deep, powerful bass that takes backyard sound to the next level. With flexible mounting options (including ground, surface, deck or in-ground installation), this subwoofer adapts to almost any space. And thanks to a contoured dome that minimizes visual impact, it stays discreet in any landscape.



NANO SERIES



Introducing the Nano Series of Fixtures – AMP’s smallest solid brass integrated fixtures. Designed for non-traditional landscape applications, these fixtures are perfect for high-rises, apartments, planters, and more. Featuring a solid brass construction and rated to withstand dust and powerful jetting water, the Nano Series are built for reliable and long-lasting performance.

NANO LED WELL LIGHT

Well Light (Integrated)



AWL-5013-25-B-BZ

Introducing the AMP® Nano LED Well Light (Integrated), our most compact yet powerful addition to the Nano lineup. This discreet fixture seamlessly blends into planters and other applications while delivering an impressive 80 lumens of a warm 2700K glow.

- Brass Construction
- IP68 Rated
- 35° Beam Angle
- 25' 18AWG Lead Wire
- 1.5W Integrated LED | 80 Lumens

NANO LED SPOTLIGHT

Spotlight (Integrated)



AAL-1049-B-BZ-R1

Introducing the Nano LED Spotlight – AMP’s tiniest solid brass integrated LED spotlight. Measuring just under 3” in length and less than 1” in height, this spotlight delivers an incredible amount of illumination while effortlessly blending into any setting.

- Brass Construction
- Adjustable Knuckle
- 15° | 35° | 60° Beam Spreads
- 25’ 18AWG Lead Wire
- 2W Integrated LED | 85 Lumens

NANO LED FLOOD LIGHT

Flood Light (Integrated)



AFL-4032-25-B-BZ-R1

Introducing the Nano LED Flood Light – AMP’s tiniest solid brass integrated LED flood light. Measuring less than 2.5” in length and only 0.75” wide, this flood light produces a powerful 175 lumens of a warm 2700K glow.

- Brass Construction
- Adjustable Knuckle
- 120° Beam Angle
- 25’ 18AWG Lead Wire
- 2W Integrated LED | 175 Lumens

SPOTLIGHTS



If landscape lighting is painting with light, then spotlights are the brushes. Spotlights are used for emphasis in outdoor lighting – to call attention to specific architectural or landscape features. Unlike flood lights that shed light across a wide area, spotlights have narrower beams so they can focus on one thing at a time.



RGBCW G5 CONTROLPRO™

Spotlight (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1055

Featuring a new modular design for effortless LED module replacement, the 5th generation ControlPro™ Spotlight offers solid cast brass construction, an IP67-rated weatherproof design, swappable 60° and 38° lenses, color-changing and color temperature adjustment, dimming, and zoning capabilities.

- Cast Brass Construction
- Fully Adjustable Glare Guard
- 16W Integrated LED
- 809 Max Lumen Output

G5 CONTROLPRO™

Spotlight (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1054

Featuring a new modular design for effortless LED module replacement, the 5th generation ControlPro™ Spotlight offers solid cast brass construction, an IP67-rated weatherproof design, swappable 60° and 38° lenses, color temperature adjustment, dimming, and zoning capabilities.

- Cast Brass Construction
- Fully Adjustable Glare Guard
- 16W Integrated LED
- 809 Max Lumen Output

PINNACLEPRO

Spotlight (Lamp-Ready | MR-16)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AAL-1017

The PinnaclePro spotlight features a compact body with fins designed to draw heat away from the LED lamp. This is a fixture that blends performance and durability - a designer's dream.

- Cast Brass Construction
- Fully Adjustable Glare Guard
- 4' or 25' 18AWG Lead Wire
- Stainless Steel Screw Knuckle

G2 ECOPRO

Spotlight (Lamp-Ready | MR-16)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL



COPPER

AAL-1052

Illuminate with precision with the G2 EcoPro MR16 spotlight, designed to blend durability and elegance with its compact, moisture-tight design and secure lamp fit.

- Cast Brass Construction
- 4' or 25' 18AWG Lead Wire
- Tool-Less Knuckle
- Water-Tight Silicone O-Ring

MINI PINNACLEPRO

Spotlight (Lamp-Ready | MR-11)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1017

Extremely compact and easy-to-install, The AMP® Mini PinnaclePro MR11 Spotlight is small enough to place in garden planters, small garden beds, and other niche areas.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- Fully Adjustable Glare Guard
- Stainless Steel Screw Knuckle

BULLETPRO

Spotlight (Lamp-Ready | MR-8)



AAL-1033-B-BZ

Compact and durable, this professional-grade solid cast brass landscape lighting spotlight uses an AMP® MR8 LED bulb. This fixture is ideal for niche applications such as garden lighting, illuminating statuary or small architectural or landscape features.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- Fully Adjustable Glare Guard
- Water-Tight Silicone O-Ring

CONTROLPRO™ 300

Spotlight (Integrated)



AAL-3000IR-BBZ

The AMP® ONE ControlPro™ 300 LED Spotlight uses an Integrated Single Source LED with a 350-lumen output (that can be dimmed from 2% to 100%) makes this light ideal for illuminating a wide range of accent and flood applications.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- 5W | 2700K | 350 Lumens
- Fully Adjustable Glare Guard

CONTROLPRO™ 500

Spotlight (Integrated)



AAL-3001IR-BBZ

The AMP® ONE ControlPro™ 500 LED Spotlight uses a 3-LED array to produce a beam of bright light with even distribution and soft edges. The 500-lumen output (that can be dimmed from 2% to 100%) makes this light ideal for a wide range of applications.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- 8W | 2700K | 500 Lumens
- Fully Adjustable Glare Guard

RGBW CONTROLPRO™ 800

Spotlight (Integrated)



AAL-3003IR-BBZ

Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control. This spotlight features a fully-adjustable glare guard, adjustable knuckle for precision aiming, and interchangeable optics.

- Cast Brass Construction
- Fully Adjustable Glare Guard
- 25' 18AWG Lead Wire
- 12W | RGBW & 2700K | 650 Lumens



ALL SPOTLIGHTS



PinnaclePro
AAL-1017-B-BZ
MR16
Brass Bronze



PinnaclePro
AAL-1017-B-BK
MR16
Brass Black



G2 EcoPro
AAL-1052-B-BZ
MR16
Brass Bronze



G2 EcoPro
AAL-1052-B-BK
MR16
Brass Black



G2 EcoPro
AAL-1052-S-S
MR16
Stainless Steel



G2 EcoPro
AAL-1052-C-CP
MR16
Copper



Mini PinnaclePro
AAL-1018-B-BZ
MR11
Brass Bronze



Mini PinnaclePro
AAL-1018-B-BK
MR11
Brass Black



BulletPro
AAL-1033-B-BZ
MR8
Brass Bronze



ControlPro™ 300
AAL-3000IR-B-BZ
Integrated LED
Brass Bronze



ControlPro™ 500
AAL-3001IR-B-BZ
Integrated LED
Brass Bronze



RGBW ControlPro™ 800
AAL-3003IR-B-BZ
Integrated LED
Brass Bronze



Nano Spotlight

AAL-1049-XX-25-B-BZ-R1
Integrated LED
Brass Bronze



G5 ControlPro™

AAL-1054-25-B-BK
Integrated LED
Brass Black



G5 ControlPro™

AAL-1054-25-B-BZ
Integrated LED
Brass Bronze



G5 RGBCW ControlPro™

AAL-1055-25-B-BZ
Integrated LED
Brass Bronze




G5 RGBCW ControlPro™

AAL-1055-25-B-BK
Integrated LED
Brass Black



DOWNLIGHTS



Moonlighting is one of the most impressive lighting techniques - accomplished by installing downlights in trees. AMP® downlights are easy to install, durable and UL Listed. Available in both integrated LED and lamp-ready versions.



CONTROLPRO™ 200

Downlight (Integrated)




AAL-1813IR-40-BBZ

Designed with a solid brass, offset tripod tree mount with nylon spacers, the downlight can be mounted to uneven surfaces and will not cause damage to trees, typically caused by mold and insects.

- Cast Brass Construction
- 40' 18AWG Lead Wire
- Fully Adjustable Glare Guard
- 5W | 2700K | 350 Lumens

PINNACLEPRO DOWNLIGHT

Downlight (Lamp-Ready | MR-16)



AAL-1016

FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

The PinnaclePro Downlight is a low voltage, professional-grade lamp-ready landscape light designed specifically for downlighting or moonlighting applications.

- Cast Brass Construction
- 40' 18AWG Lead Wire
- Fully Adjustable Glare Guard
- Adjustable Knuckle for Aiming

AVIATORPRO

Downlight (Lamp-Ready | MR-16)



BDL-GGT1-B-BZ

This cast brass downlight features extra-long, straight-cut adjustable glare guard. Ideal for under ceilings, eaves or overhangs. Projects a medium-sized pool of illumination. Surface mount included.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- Fully Adjustable Glare Guard
- Silicone-Sealed Knuckle

AERIALISTPRO

Downlight (Lamp-Ready | G4)




ASI-9000-B-BZ

Beautiful perforated brass hanging light with sleek design and chain. Perfect for lanais, decks, patios, gardens, outdoor kitchens, and more.

- Cast Brass Construction
- 40' 18AWG Lead Wire
- 36" Chain for Easy Hanging
- Antique Bronze Finish

PATH LIGHTS



To enhance the safety, security and beauty of walkways, gardens, patios and other spaces, 12V pathway lights must deliver the right amount (and quality) of illumination.



MAGNUMPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL



COPPER


AAR-3516

The AMP® MagnumPro™ Path & Area Light (Lamp-Ready) has a sleek and modern design. It features our widest hat and can project LED light to produce a generous region of illumination. It contains a G4 socket and uses a replaceable G4 Bi-Pin bulb.

- Cast Brass Construction
- 16' Beam Spread Diameter
- 4' or 25' 18AWG Lead Wire
- Up to 425 Lumens

MINI MAGNUMPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-MINI-3516

A miniature version of our most popular path light, the Mini MagnumPro features a 12" stem and offers a subtle 8' beam spread and a less conspicuous appearance that seamlessly blends into any landscape design.

- Cast Brass Construction
- 8' Beam Spread Diameter
- 4' 18AWG Lead Wire
- Up to 425 Lumens

CONICAPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-3514

The AMP® ConicaPro™ LED Path & Area Light (Lamp-Ready) features durable cast-brass construction to resist physical and chemical challenges in the landscape. The fixture's appearance is simple and organic.

- Cast Brass Construction
- 12' Beam Spread Diameter
- 4' or 25' 18AWG Lead Wire
- Up to 425 Lumens

MINI CONICAPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-MINI-3514

With its shorter 12" stem, this fixture offers a more subtle beam spread and a discreet presence, seamlessly blending into any landscape design. With an approximate 6' diameter beam spread, this mini path light is perfect for illuminating paths, driveways, flower beds, docks, and patios.

- Cast Brass Construction
- 8' Beam Spread Diameter
- 4' 18AWG Lead Wire
- Up to 425 Lumens

SUMMITPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-3515

The AMP® SummitPro™ LED Path & Area Light (Lamp-Ready) features a traditional and appealing architectural style. It is compact and projects a medium-sized soft-edged beam. Constructed of solid cast brass, the fixture will not bend or break.

- Cast Brass Construction
- 4' or 25' 18AWG Lead Wire
- 16' Beam Spread Diameter
- Up to 425 Lumens

MINI SUMMITPRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-MINI-3515

With its shorter 12" stem, this fixture offers a more subtle beam spread and a discreet presence, seamlessly blending into any landscape design. With an approximate 6' diameter beam spread, this mini path light is perfect for illuminating paths, driveways, flower beds, docks, and patios.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- 8' Beam Spread Diameter
- Up to 425 Lumens

STETSON PRO™

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AAR-3500

This classic-style path light is an ideal fixture to illuminate pathways, driveways, steps, stairs, and landscape regions such as gardens, patios, and docks. It contains a G4 socket and uses a replaceable G4 Bi-Pin bulb.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- 16' Beam Spread Diameter
- Up to 425 Lumens

STEMLESS DIRECTIONAL

Path & Area Light (Lamp-Ready | G4)



APL-3037-B-BZ

The Stemless Brass Bronze Path Light casts an impressive 130° of light output. Experience wide coverage and enhanced visibility, allowing you to guide visitors and accentuate the beauty of outdoor spaces with exceptional clarity.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- Heavy Frosted Acrylic Lens
- 140° of Light Output

WIDE NOVELLEPRO

Path & Area Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL


APL-3026

The Wide NovellePro is a robust modern fixture with a low profile and clean lines. Use this ultra-modern fixture to complement your modern architecture and décor. It provides a moderate-sized region of illumination to create a pool of evenly dispersed light.

- Cast Brass Construction
- UL & cUL® Listed
- 4' 18AWG Lead Wire
- Modern & Sleek Design

ALPINEPRO

Path & Area Light (Lamp-Ready | G4)



APL-3014-B-BZ

The AlpinePro™ Path & Area Light (Lamp-Ready) is ideal for subtle floodlighting and path lighting applications. The round shape and frosted lens create an extra-wide, highly diffuse beam with soft edges.

- Cast Brass Construction
- UL & cUL® Listed
- 4' 18AWG Lead Wire
- Adjustable Knuckle for Precision Aiming

MINI PINNACLEPRO™

Path & Area Light (Lamp-Ready | MR-11)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-3017

Combines the durability and sealed fixture of a spotlight, with the concept of an adjustable path light. Perfect for high end homes and commercial applications. Use as a path, area, spot, flood, or specialty fixture.

- Cast Brass Construction
- UL & cUL® Listed
- 4' 18AWG Lead Wire
- Directional Illumination

DUAL MINI PINNACLEPRO™

Path & Area Light (Lamp-Ready | MR-11)



APL-3015-B-BZ

The AMP® Dual Mini PinnaclePro Path & Area Light (Lamp-Ready) has a directional output of two spotlights. Allows you to illuminate two regions with a single fixture.

- Cast Brass Construction
- UL & cUL® Listed
- 4' 18AWG Lead Wire
- Dual-Directional Illumination

ALL PATH LIGHTS



MagnumPro™ (Lamp-Ready)
AAR-3516-B-BZ
G4 Bi-Pin
Brass Bronze



MagnumPro™ (Lamp-Ready)
AAR-3516-B-BK
G4 Bi-Pin
Brass Black



MagnumPro™ (Lamp-Ready)
AAR-3516-C-CP
G4 Bi-Pin
Copper



MagnumPro™ (Lamp-Ready)
AAR-3516-S-S
G4 Bi-Pin
Stainless Steel



SummitPro™ (Lamp-Ready)
AAR-3515-B-BZ
G4 Bi-Pin
Brass Bronze



SummitPro™ (Lamp-Ready)
AAR-3515-B-BK
G4 Bi-Pin
Brass Black



ConicaPro™ (Lamp-Ready)
AAR-3514-B-BZ
G4 Bi-Pin
Brass Bronze



ConicaPro™ (Lamp-Ready)
AAR-3514-B-BK
G4 Bi-Pin
Brass Black



Stemless Path Light
APL-3037-B-BZ
G4 Bi-Pin
Brass Bronze



Wide NovellePro (Lamp-Ready)
APL-3026-B-BZ
G4 Bi-Pin
Brass Bronze



Wide NovellePro (Lamp-Ready)
APL-3026-B-BK
G4 Bi-Pin
Brass Black



Wide NovellePro (Lamp-Ready)
APL-3026-S-S-R1
G4 Bi-Pin
Stainless Steel



Mini MagnumPro (Lamp-Ready)
 AAR-MINI-3516-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini ConicaPro (Lamp-Ready)
 AAR-MINI-3514-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini SummitPro (Lamp-Ready)
 AAR-MINI-3515-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini MagnumPro (Lamp-Ready)
 AAR-MINI-3516-B-BK
 G4 Bi-Pin
 Brass Black



Mini ConicaPro (Lamp-Ready)
 AAR-MINI-3514-B-BK
 G4 Bi-Pin
 Brass Black



Mini SummitPro (Lamp-Ready)
 AAR-MINI-3515-B-BK
 G4 Bi-Pin
 Brass Black



Mini PinnaclePro MR11
 APL-3017-B-BZ
 MR11
 Brass Bronze



Mini PinnaclePro MR11
 APL-3017-B-BK
 MR11
 Brass Black



Dual Mini PinnaclePro MR11
 APL-3015-B-BZ
 MR11
 Brass Bronze



AlpinePro (Lamp-Ready)
 APL-3014-B-BZ
 G4 Bi-Pin
 Brass Bronze




StetsonPro (Lamp-Ready)
 AAR-B-BZ
 G4 Bi-Pin
 Brass Bronze



StetsonPro (Lamp-Ready)
 AAR-B-BK
 G4 Bi-Pin
 Brass Black

DECORATIVE PATH LIGHTS



When looking for something unique to add to your landscape, our decorative path lights offer beauty and functionality. With different styles to fit different scenes around a home, our decorative path lights are sure to WOW your customers and their guests.



ARCHPRO

Path Light (Lamp-Ready | G4)




APL-3031-B-BZ

The ArchPro Path & Area Light is a low-voltage outdoor light ideal for illuminating walkways, patios, driveways, and area lighting. Constructed of solid brass with an attractive bronze finish and a traditional curved design.

- Cast Brass Construction
- Directional Lighting Applications
- 4' 18AWG Lead Wire
- UL & cUL® Listed

MINI PILOTPRO

Path Light (Lamp-Ready | MR-16)



APL-3024

FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

The Mini PilotPro is a high-quality outdoor lighting fixture that projects an extra-wide circle of uniform illumination. This fixture is perfect for walkways and high traffic areas - works with residential and commercial properties.

- Cast Brass Construction
- 10' Beam Spread Diameter
- 4' 18AWG Lead Wire
- UL & cUL® Listed

SILHOUETTE

Path Light (Integrated)



APL-3011-B-BZ

This unique patent-pending estate-sized luminaire features charming scrollwork and bold embellishments. At night, light shines through the designs to create a compelling pattern of light and shadow. Perfect for larger homes and properties.

- Cast Brass Construction
- 34.5" Tall
- 4' 18AWG Lead Wire
- 300 Lumens

CUSTOMIZED BOLLARD

Path Light (Lamp-Ready | Puck Light)



APL-3032-26-B-BZ

With AMP®'s Customizable Bollard Light, installers can customize a bollard to fit their application needs and desired light pattern. Constructed of a solid brass frame with easily interchangeable stainless steel panels.

- Cast Brass Construction
- Interchangeable Panels
- 4' 18AWG Lead Wire
- Cast Beautiful Shadows

POLYNESIANPRO TIKI TORCH

Path Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-3518

The PolynesianPro Torch Light contains both fire (fueled by an oil reservoir) and light (from an LED bulb located under the shade). This new generation is constructed with an extra robust brass stem for a lifetime of durability and stability in any landscape.

- Cast Brass Construction
- 61" Tall

- 4' 18AWG Lead Wire
- Functional Tiki-Torch

ALL DECORATIVE PATH LIGHTS



ArchPro (Lamp-Ready)

APL-3031-B-BZ
G4 Bi-Pin
Brass Bronze



24" Mini PilotPro (Lamp-Ready)

APL-3024-B-BZ
MR16
Brass Bronze



24" Mini PilotPro (Lamp-Ready)

APL-3024-B-BK
MR16
Brass Black



Customizable Bollard

APL-3032-26-B-BZ
Bi-Pin Puck
Brass Bronze



PolynesianPro (Lamp-Ready)

AAR-3518-B-BZ
G4 Bi-Pin
Brass Bronze



PolynesianPro (Lamp-Ready)


AAR-3518-B-BK
G4 Bi-Pin
Brass Black



Silhouette (Integrated)

APL-3011-B-BZ
Integrated
Brass Bronze

FLOOD LIGHTS

A large, dense tree canopy is illuminated at night by floodlights. The leaves are a vibrant green, and the branches are silhouetted against the dark sky. In the foreground, a dark lawn is visible. The overall scene is a nighttime landscape lighting application.

LED flood lights are ideal for illuminating walls, signs, tree canopies and similar applications requiring wide-spread lighting. They provide safety and security for yards and other large areas. They can also be used for landscape lighting techniques like wall washing and grazing.



EQUAPRO

Flood Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1014

The round shape and frosted lens create an extra-wide highly diffuse beam with soft edges. Ideal for illuminating walls without creating the cone-shaped patterns produced by spotlights.

- Cast Brass Construction
- Frosted Lens
- 4' 18AWG Lead Wire
- UL & cUL® Listed

DIFFUSEPRO

Flood Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AFL-4010

The DiffusePro is ideal for low-brightness flood lighting - especially for single objects such as urns, mailboxes, and statues. Also works for illumination of small gardens, retaining walls, and plants. Includes several lenses (frosted, clear, and linear) to maximize brightness or to further diffuse the beam.

- Cast Brass Construction
- 3 Different Lens Options
- 4' 18AWG Lead Wire
- UL & cUL® Listed

PARAMOUNTPRO

Flood Light (Integrated)



AFL-4013-B-BZ

With extremely durable construction and an integrated high-power Cree® LED, this flood light projects 500 lumens. Ideal for illuminating signs, walls and plant material. No bulbs to change, clear glass lens can be replaced by diffusion or frosted lenses.

- Cast Brass Construction
- 4' 18AWG Lead Wire
- 3 Different Lens Options
- 500 Lumens

RGBCW PARAMOUNTPRO

Flood Light (Integrated)



AFL-4031-B-BZ

Compact flood light offers numerous customization options for your clients' landscapes including color-changing capabilities, correlated color temperature adjustment, and dimming control. Requires AMP® RGBCW RF Remote Control for features.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- 3 Different Lens Options
- Up to 408 Lumens

STOUTPRO

Flood Light (Lamp-Ready | PAR36)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AFL-4015

Solid, cast brass flood light that is built with longevity in mind. Perfect for any flood lighting application. Use to throw a flood of light on larger applications like large walls, signs, trees, and more.

- Cast Brass Construction
- Up to 1350 Lumens

- 4' 18AWG Lead Wire
- UL & cUL® Listed

SPECTRUMPRO

Flood Light (Lamp-Ready | R7S)



AFL-4014-B-BZ

The SpectrumPro utilizes a LED or Halogen R7s bulb that “floats” within the fixture body and can be rotated to dim and adjust the light output of the fixture (380 lumens max. can be dimmed to 80 lumens).

- Cast Brass Construction
- Frosted Lens for Diffused Light

- 4' 18AWG Lead Wire
- UL & cUL® Listed

RGBCW LED WALL WASH

Flood Light (Integrated)



AFL-4026-A-BK

The fixture is a powerful, low voltage solution designed for expansive wall washing applications in commercial, residential properties. Delivering 75W of vibrant, color changing illumination, this fixture provides a seamless, uniform wash of light—ideal for signage, building facades, and outdoor landscapes.

- Solid Aluminum Construction
- 75W Integrated LED
- 180° Rotatable
- Up to 2500 Lumens

12W LED FLOOD LIGHT

Flood Light (Integrated)



AFL-4018-B-BZ

AMP®'s brass flood lights allow for much slimmer body designs while still offering high lumen outputs and ultra-wide beam angles. Ideal for expansive areas, large features, and up-lighting tree canopies. The fixtures feature powerful, efficient integrated LED lights.

- Cast Brass Construction
- 1000 Lumens | 3000K
- 4' 18AWG Lead Wire
- Frosted Tempered Glass

27W FLOOD LIGHT

Flood Light (Integrated)



AFL-4024-B-BZ

Sleek brass design with powerful, efficient illumination. Extra-slim design with built-in heat sink fins. Features frosted, tempered glass lens for widespread, balanced illumination.

- Cast Brass Construction
- 2500 Lumens | 3000K
- 4' 18AWG Lead Wire
- UL & cUL® Listed

27W RGBCW FLOOD LIGHT

Flood Light (Integrated)



AFL-4033-B-BZ-R1

Equipped with a powerful 27W integrated LED and color-changing capabilities, this flood light ensures bright and efficient, customizable illumination. This flood light offers expansive coverage, making it suitable for large features, and up-lighting tree canopies.

- Cast Brass Construction
- Up to 1700 Lumens
- 4' 18AWG Lead Wire
- UL & cUL® Listed

NANO FLOOD LIGHT


Flood Light (Integrated)



AFL-4032-25-B-BZ-R1

Introducing the Nano LED Flood Light – AMP's tiniest solid brass integrated LED flood light. Measuring less than 2.5" in length and only 0.75" wide, this flood light produces a powerful 175 lumens of a warm 2700K glow.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- 175 Lumens | 3000K
- UL & cUL® Listed



ALL FLOOD LIGHTS



EquaPro (Lamp-Ready)
AAL-1014-B-BZ
G4 Bi-Pin
Brass Bronze



EquaPro (Lamp-Ready)
AAL-1014-B-BK
G4 Bi-Pin
Brass Black



DiffusePro (Lamp-Ready)
AFL-4010-B-BZ
G4 Bi-Pin
Brass Bronze



DiffusePro (Lamp-Ready)
AFL-4010-B-BK
G4 Bi-Pin
Brass Black



StoutPro (Lamp-Ready)
AFL-4015-B-BZ
PAR36
Brass Bronze



StoutPro (Lamp-Ready)
AFL-4015-B-BK
PAR36
Brass Black



12W LED Flood (Integrated)
AFL-4018-B-BZ
Integrated
Brass Bronze



27W LED Flood (Integrated)
AFL-4024-B-BZ
Integrated
Brass Bronze



RGBCW 27W LED Flood (Integrated)
AFL-4033-B-BZ-R1
Integrated
Brass Bronze



ParamountPro (Integrated)
AFL-4013-B-BZ
Integrated
Brass Bronze



ParamountPro (Integrated)
AFL-4031-B-BZ
Integrated
Brass Bronze



Nano Flood Light (Integrated)
AFL-4032-25-B-BZ-R1
Integrated
Brass Bronze




SpectrumPro (Lamp-Ready)
AFL-4014-B-BZ
R7S
Brass Bronze



RGBCW LED Wall Wash (Integrated)
AFL-4026-A-BK
Integrated LED
Aluminum Black



DECK LIGHTS & STEP LIGHTS



Deck lights are designed for downlighting on decks, docks, railings, posts and patios. Deck lights and step lights when used together allow for safe travel to and from outdoor patios, docks and much more.



DECK DESIGN-PRO

Deck Light (Lamp-Ready | G4)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



BRASS
WHITE

ADL-2010

The Classic Deck Light is an attractive solid cast brass fixture that features a circular, classic shape. Like all AMP® LED deck lights, this fixture does not project light above the horizon (full cutoff designation) making it Dark Sky compliant.

- Cast Brass Construction
- Frosted Lens

- 25' 18AWG Lead Wire
- UL & cUL® Listed

INFUSEPRO THIN

Step Light (Integrated)




AHS-630(X)-25-B-BZ

X Represents different glare guard options

The InfusePro Step Lights are designed for simple installation for step-lighting applications. Compared to traditional recessed step lights, these low-profile integrated step lights are easy to install with the pre-drilled screw slots on the brass faceplates.

- Cast Brass Construction
- Frosted Lens
- 25' 18AWG Lead Wire
- UL & cUL® Listed

WELL LIGHTS & IN-GRADE LIGHTS

A photograph of a house at dusk. The house has a dark grey shingled roof and a light-colored stucco exterior. A large, dark grey garage door with a grid pattern is the central focus. To the left of the garage door is a thick, light-colored column. The house number '206' is visible in a small oval above the garage door. The scene is illuminated by warm, golden light, likely from the setting sun, and the well lights and in-grade lights mentioned in the text are visible as small, glowing circles on the roofline and around the column.

Well lights & In-Grade lights are ideal for in-ground lawn applications and for up-lighting trees, columns and architectural features when an above-ground fixture is not desired. Available in lamp-ready and integrated LED styles.



HYDRAPRO™ MR16

Well Light (Lamp-Ready | MR-16)



AWL-5007-B-BZ

The HydraPro™ LED MR16 Well Light is an absolutely waterproof fixture with an enhanced wire gland and a fully potted wire entrance for maximum protection against moisture and water intrusion.

- Cast Brass Construction
- PVC Well Housing
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR16

In-Grade Light (Lamp-Ready | MR-16)



AWL-5004-B-BZ

With an absolutely waterproof design, the fixture will withstand a lifetime of rain, irrigation water & flooding. This fixture is made from cold forged brass, which is less porous than cast brass and better suited for water-related conditions.

- Forged Brass Construction
- 4 Different Glare Guards
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR11

Well Light (Lamp-Ready | MR-11)




AWL-5005-B-BZ

The HydraPro™ LED MR11 Well Light is an absolutely waterproof fixture with an enhanced wire gland and a fully potted wire entrance for maximum protection against moisture and water intrusion.

- Forged Brass Construction
- 4' 18AWG Lead Wire
- 4 Different Glare Guards
- UL & cUL® Listed

HYDRAPRO™ MR11

In-Grade Light (Lamp-Ready | MR-11)



AWL-5006-B-BZ

AMP®'s brass flood lights allow for much slimmer body designs while still offering high lumen outputs and ultra-wide beam angles. Ideal for expansive areas, large features, and up-lighting tree canopies. The fixtures feature powerful, efficient integrated LED lights.

- Forged Brass Construction
- 4' 18AWG Lead Wire
- 4 Different Glare Guards
- UL & cUL® Listed

RGBW HYDRAPRO™

Well Light (Integrated)



AWL-5011IR-B-BZ

This single-source integrated LED well light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control.

- Forged Brass Construction
- 650 Lumen Max | 12 Watts
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW HYDRAPRO™

In-Grade Light (Integrated)



AWL-5010IR-B-BZ

This single-source integrated LED in-grade light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control.

- Forged Brass Construction
- 650 Lumen Max | 12 Watts
- 25' 18AWG Lead Wire
- UL & cUL® Listed

CORE DRILL MR11

Well Light (Lamp-Ready | MR-11)



FINISH OPTIONS



BRASS
BRONZE



STAINLESS
STEEL


AWL-5012

By utilizing a simple 2" core drill bit, you can effortlessly create recesses in pre-existing concrete, brick, and paver applications. No more tedious and labor-intensive methods—our innovative design empowers you to complete installations with ease and precision.

- Forged Brass Construction
- 2" Core Diameter
- 25' 18AWG Lead Wire
- UL & cUL® Listed

NANO WELL LIGHT

Well Light (Integrated)



AWL-5013-25-B-BZ

The AMP® Nano LED Well Light (Integrated), our most compact yet powerful addition to the Nano lineup. This discreet fixture seamlessly blends into planters and other applications while delivering an impressive 80 lumens of a warm 2700K glow.

- Cast Brass Construction
- 35° Beam Angle
- 25' 18AWG Lead Wire
- UL & cUL® Listed

MICRODOT

Well Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-7022

A low-profile indicator light that offers a soft, warm glow, perfect for decks, steps, floors, and other areas where subtle indication is needed over full illumination. Fixed 2700K color temperature for consistent lighting.

- Cast Brass Construction
- 2700K | 26 Lumens

- 10' 18AWG Lead Wire
- UL & cUL® Listed

RGBW MICRODOT

Well Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



AHS-7014

A discreet, low-profile RGBW light that provides a subtle light ideal for decks, floors, steps, and other low-light applications where indication is preferred over illumination. Remote control required for color-changing (sold separately).

- Cast Brass Construction
- RGBW & 2700K

- 10' 18AWG Lead Wire
- UL & cUL® Listed

BURROWPRO PAR36

Well Light (Lamp-Ready | PAR36)



AWL-5000-B-BZ

This fixture has a thick cast brass grate with thick tempered flat glass sealed under the grate. The brass cap alone weighs more than a standard complete well light fixture. Keeps debris, mulch, and leaves out. Various lens options sold separately for fine-tuning illumination specific to your needs.

- Forged Brass Construction
- Tempered Flat Glass
- 4' 16AWG Lead Wire
- UL & cUL® Listed

PAR36

Well Light (Lamp-Ready | PAR36)



AWL-5000-P-BK

The PAR36 Well Light is great for installing in turf or mulch beds for an assortment of uplighting applications. A perfect substitution for a spotlight where an in-ground fixture is desired. The low-profile design keeps the fixture hidden but results in effective lighting.

- Reversible PVC Tube
- Optional Debris Cover
- 4' 16AWG Lead Wire
- UL & cUL® Listed

ALL WELL LIGHTS



HydraPro™ MR16 (Lamp-Ready)
AWL-5007-B-BZ
MR16
Brass Bronze



HydraPro™ MR16 (Lamp-Ready)
AWL-5004-B-BZ
MR16
Brass Bronze



RGBW HydraPro™ (Integrated)
AWL-5011IR-B-BZ
Integrated
Brass Bronze



RGBW HydraPro™ (Integrated)
AWL-5010IR-B-BZ
Integrated
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5005-B-BZ
MR11
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5006-B-BZ
MR11
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5006-B-BK
MR11
Brass Black



MR11 Core Drill (Lamp-Ready)
AWL-5012-B-BZ-R1
MR11
Brass Bronze



MR11 Core Drill (Lamp-Ready)
AWL-5012-S-S-R1
MR11
Stainless Steel



RGBW Micro Dot (Integrated)
AHS-7014-10-B-BZ
Integrated
Brass Bronze



RGBW Micro Dot (Integrated)
AHS-7014-10-B-BK
Integrated
Brass Black



Micro Dot (Integrated)
AHS-7022-B-BZ
Integrated
Brass Bronze



Micro Dot (Integrated)

AHS-7022-B-BK
Integrated
Brass Black



BurrowPro (Lamp-Ready)

AWL-5000-B-BZ
PAR36
Brass Bronze




PAR36 Well (Lamp-Ready)

AWL-5000-P-BK
PAR36
Plastic Black



Nano (Integrated)

AWL-5013-25-B-BZ
Integrated
Brass Bronze





HARDSCAPE LIGHTS


Use hardscape lights to illuminate hard surface areas with soft light, especially when a patio or walkway extends right up to a wall and a path light can't be placed there. This can make the area much more accessible and enjoyable at night, while also highlighting the qualities of unique wall materials.

There are two common applications when installing a hardscape light: install it into a retaining wall with dirt behind it, or into a free-standing wall that's open on both sides.



CUSTOMIZABLE UP/DOWN SCONCE

Hardscape Light (Lamp-Ready | MR16)



AHS-7003-B-BZ-R2

The solid cast brass construction of this sconce ensures unmatched durability and longevity, making it a reliable choice for even the most demanding outdoor environments. Its antique bronze finish will patina overtime to naturally blend with surrounding features.

- Cast Brass Construction
- 16 Different Configurations

- 25' 18AWG Lead Wire
- UL & cUL® Listed

CUSTOMIZABLE UP/DOWN SCONCE

Hardscape Light (Lamp-Ready | MR16)



AHS-7003-B-BK-R2

The solid cast brass construction of this sconce ensures unmatched durability and longevity, making it a reliable choice for even the most demanding outdoor environments. Its black powder-coat finish not only enhances its durability but also offers universal matching ability, allowing you to seamlessly integrate it into any architectural or landscape design.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- 16 Different Configurations
- UL & cUL® Listed

G2 TORRENTPRO

Hardscape Light (Lamp Ready | G4)




AHS-7006-B-BZ-R1

The TorrentPro is a low-profile, high-performing fixture that achieves compelling illumination in a variety of applications. It is simple to install and delivers an evenly dispersed illumination - without distracting hot spots.

- Cast Brass Construction
- Rotatable Light Housing
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

DESCENTPRO

Hardscape Light (Lamp Ready | G4)



AHS-7004-B-BZ

The AMP® DescentPro is a low-profile, high-performing fixture that achieve compelling illumination in a variety of applications. This 8" hardscape light is an extremely durable, compact high-performing, linear LED fixture.

- Cast Brass Construction
- Low Profile Design
- 4' 18AWG Lead Wire
- UL & cUL® Listed

G3 PUCKPRO

Hardscape Light (Integrated)



AHS-70XX-B-BZ

Solid brass puck light delivers a warm glow to any application while providing a variety of lighting solutions. Surface mount or recess under benches, railings, or overhangs; core-drill into decks steps, or hardscapes for a clean, integrated look.

- Cast Brass Construction
- Up to 330 Lumens
- 8' 18AWG Lead Wire
- UL & cUL® Listed

G3 RGBCW PUCKPRO

Hardscape Light (Integrated)



AHS-7026-B-BZ-R1

This solid brass puck light features versatile RGBCW LEDs, controlled by an optional RF remote for color, brightness, and zone settings. Its compact design allows for surface mount, recessed, downlight, or uplight installation on overhangs, decks, and more.

- Cast Brass Construction
- RGBW & CCT
- 8' 18AWG Lead Wire
- UL & cUL® Listed

RGBCW CONTROLPRO HARDSCAPE 3"

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-6803-RGBCW

Innovative, modular design allows for magnetic, RGBCW LED module to be removed and serviced; no rewiring. Durable, cast brass construction. Color-changing and CCT adjustment via remote control. Rotatable housing for precision aiming of light output (180°).

- Cast Brass Construction
- RGBW & CCT
- 25' 18AWG Lead Wire
- UL & cUL® Listed

CONTROLPRO HARDSCAPE 3"

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-6803

Innovative, modular design allows for magnetic LED module to be removed and serviced; no rewiring required. Durable, cast brass construction. Rotatable housing for precision aiming of light output (180°). Built-in mounting bracket. Warm white CCT (2700K)

- Cast Brass Construction
- 2700K Output
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBCW CONTROLPRO HARDSCAPE 6"

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-6806-RGBCW

Innovative, modular design allows for magnetic, RGBCW LED module to be removed and serviced; no rewiring. Durable, cast brass construction. Color-changing and CCT adjustment via remote control. Rotatable housing for precision aiming of light output (180°).

- Cast Brass Construction
- RGBW & CCT
- 25' 18AWG Lead Wire
- UL & cUL® Listed

CONTROLPRO HARDSCAPE 6"

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-6806

Innovative, modular design allows for magnetic LED module to be removed and serviced; no rewiring required. Durable, cast brass construction. Rotatable housing for precision aiming of light output (180°). Built-in mounting bracket. Warm white CCT (2700K)

- Cast Brass Construction
- 2700K Output
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBCW CONTROLPRO HARDSCAPE 12'''

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AHS-6812-RGBCW

Innovative, modular design allows for magnetic, RGBCW LED module to be removed and serviced; no rewiring. Durable, cast brass construction. Color-changing and CCT adjustment via remote control. Rotatable housing for precision aiming of light output (180°).

- Cast Brass Construction
- RGBW & CCT
- 25' 18AWG Lead Wire
- UL & cUL® Listed

CONTROLPRO HARDSCAPE 12'''

Hardscape Light (Integrated)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AHS-6812

Innovative, modular design allows for magnetic LED module to be removed and serviced; no rewiring required. Durable, cast brass construction. Rotatable housing for precision aiming of light output (180°). Built-in mounting bracket. Warm white CCT (2700K)

- Cast Brass Construction
- 2700K Output
- 25' 18AWG Lead Wire
- UL & cUL® Listed

16' RGBW LED ROPE LIGHT

Rope Light (Integrated)



ARL-RGBW-16

Color-changing integrated RGBW flexible rope light can be cut to size to fit any application. IP-rated to withstand dust and water immersion, guaranteeing durability in the elements. Ideal for hardscapes, decks, railings, trees, steps, gardens, pathways, and more!

- Cast Brass Construction
- 270° of Light Output
- 420 Integrated LEDs
- UL & cUL® Listed

PILLARPRO

Hardscape Light (Integrated)



APL-3019-B-BZ

The AMP® PillarPro LED Post-Top Light is designed to mount on the top of a square 4" x 4" post. It features a concealed integrated LED light source under the top cap that projects a compelling pattern of illumination onto surrounding surfaces.

- Cast Brass Construction
- Utilizes PuckPro - 100 Lumens
- 4' 18AWG Lead Wire
- UL & cUL® Listed

MR11 LANAI LIGHT

Lanai Light (Lamp Ready | MR11)



AAL-1045-B-BK

Featuring a pre-installed brass lanai mount, this fixture can be easily mounted onto pool cage posts. The included mount is engineered with a plastic cover for corrosion prevention – this allows the brass fixtures to be safely mounted to the aluminum posts.

- Solid Brass Construction
- Heavy-Duty Black Powder Coat
- 25' 18AWG Lead Wire
- UL & cUL® Listed

ESCHERPRO

Lanai Light (Lamp Ready | MR11)



AAL-1046-B-BK

The EscherPro MR11 lanai light is specially designed for lanai lighting applications. Featuring a pre-installed brass lanai mount, this lanai light can be easily mounted to pool cage posts.

- Solid Brass Construction
- Heavy-Duty Black Powder Coat
- 25' 18AWG Lead Wire
- UL & cUL® Listed



ALL HARDSCAPE LIGHTS



TorrentPro (Lamp-Ready)
AHS-7006-B-BZ-R1
G4 Bi-Pin
Brass Bronze



Customizable Sconce
AHS-7003-B-BZ-R1
MR16
Brass Bronze



Customizable Sconce
AHS-7003-B-BK-R1
MR16
Brass Black



DescentPro (Lamp-Ready)
AHS-7004-B-BZ
G4 Bi-Pin
Brass Bronze



PuckPro (Integrated)
AHS-7019-8-B-BZ
Integrated - 2200K
Brass Bronze



PuckPro (Integrated)
AHS-7020-8-B-BZ
Integrated - 2700K
Brass Bronze



RGBCW PuckPro
AHS-7026-B-BZ
Integrated - RGBCW
Brass Bronze



16ft LED Rope Light
ARL-RGBW-16
Integrated - RGBW
White



MR11 Lanai Light
AAL-1045-B-BK
MR11
Brass Black



EscherPro (Lamp-Ready)
AAL-1046-B-BK
MR11
Brass Black



ControlPro Hardscape 3"
AHS-6803-RGBCW-25-B-BZ
Integrated - RGBCW
Brass Bronze



ControlPro Hardscape 3"
AHS-6803-RGBCW-25-B-BK
Integrated - RGBCW
Brass Black



ControlPro Hardscape 6"
 AHS-6806-RGBCW-25-B-BZ
 Integrated - RGBCW
 Brass Bronze



ControlPro Hardscape 6"
 AHS-6806-RGBCW-25-B-BK
 Integrated - RGBCW
 Brass Black



ControlPro Hardscape 12"
 AHS-6812-RGBCW-25-B-BZ
 Integrated - RGBCW
 Brass Bronze



ControlPro Hardscape 12"
 AHS-6812-RGBCW-25-B-BK
 Integrated - RGBCW
 Brass Black



ControlPro Hardscape 3"
 AHS-6803-25-B-BZ
 Integrated - 2700K
 Brass Bronze



ControlPro Hardscape 3"
 AHS-6803-25-B-BK
 Integrated - 2700K
 Brass Black



ControlPro Hardscape 6"
 AHS-6806-25-B-BZ
 Integrated - 2700K
 Brass Bronze



ControlPro Hardscape 6"
 AHS-6806-25-B-BK
 Integrated - 2700K
 Brass Black



ControlPro Hardscape 12"
 AHS-6812-25-B-BZ
 Integrated - 2700K
 Brass Bronze




ControlPro Hardscape 12"
 AHS-6812-25-B-BK
 Integrated - 2700K
 Brass Black



PillarPro (Integrated)
 APL-3019-4-B-BZ
 Integrated - 2700K
 Brass Bronze

UNDERWATER LIGHTS



Our underwater LED lights are known throughout the outdoor lighting industry for their robust build quality and beautiful design. These watertight fixtures are perfect for lighting up your pond, fountain or any other water feature.



HYDRAPRO™ MR16

Underwater Light (Lamp Ready | MR16)



AUL-8003-B-BZ

Fully submersible and absolutely waterproof, this light features a low profile, forged brass construction and is designed to accept the AMP® line of LED MR16 lamps. Choose from our extensive line of LED MR16 lamps.

- Forged Brass Construction
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR11

Underwater Light (Lamp Ready | MR11)



AUL-8002-B-BZ

Ideal for applications where a low-profile submersible light is desired. The HydraPro™ Underwater Light is constructed of cold-forged brass which is better suited for water-related conditions.

- Forged Brass Construction
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW HYDRAPRO™

Underwater Light (Integrated)




AUL-8005IR-B-BZ

This single-source integrated LED underwater light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. With 12 watts and a max output of 650 lumens, this underwater light is suitable for many different applications.

- Forged Brass Construction
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

R7S UNDERWATER LIGHT

Underwater Light (Lamp-Ready | R7S)



AUL-8006-B-BZ

Designed for use in larger ponds and fountains, the AMP® R7S Underwater Light offers powerful, widespread illumination. The cold forged brass construction is durable and is ideal for underwater use.

- Forged Brass Construction
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW MARINERPRO

Underwater Light (Integrated)




AUL-8009-25-B-BZ-R1

With 80 lumens of output of a warm 2700K glow, this underwater light also features color changing capabilities to give clients the ultimate customization of their pond and fountain illumination.

- Cast Brass Construction
- 25' 18AWG Lead Wire
- RGBW
- UL & cUL® Listed

RGBW MARINERPRO (Set of 3)

Underwater Light (Integrated)



AUL-8009-34-B-BZ-3PK-R1

This 3-set of miniature underwater lights are permanently wired together for fast and easy installation. The low profile of these fixtures makes them ideal for shallow water (3" or more) - typically used in the middle or upper levels of fountains.

- Cast Brass Construction
- 18' 18AWG Lead Wire
- RGBW
- UL & cUL® Listed

ALL UNDERWATER LIGHTS



HydraPro™ MR16
AUL-8003-B-BZ
MR16
Brass Bronze



HydraPro™ MR11
AUL-8002-B-BZ
MR11
Brass Bronze



SpectrumPro R7S
AUL-8006-B-BZ
R7S
Brass Bronze




RGBW HydraPro™
AUL-80051R-B-BZ
Integrated
Brass Bronze




RGBW MarinerPro (3-Pack)
AUL-8009-34-B-BZ-3PK-R1
Integrated
Brass Bronze



RGBW MarinerPro
AUL-8009-25-B-BZ-R1
Integrated
Brass Bronze



LED LAMPS

A nighttime photograph of a backyard patio. In the foreground, three wooden Adirondack chairs with patterned cushions are arranged around a circular stone fire pit with a bright fire. The patio is paved with light-colored stone tiles. In the middle ground, there is a green artificial putting green with several small white flag markers. The background features a dense garden with various plants and trees, all illuminated by a variety of landscape LED lights, including spotlights and path lights. The overall scene is warm and inviting.

Specifically designed for landscape lighting, our LED bulbs are built with weather-resistant, commercial-grade components to maximize their life span. A conformal coating on all LED circuit boards prevents corrosion and water damage.



ALL LED LAMPS



MR16

WATTAGES: 2W, 3W, 5W, 7W
 BEAM ANGLES: 15°, 38°, 60°, 110°
 COLOR TEMPS: 2200K, 2700K,
 3000K, 4000K



MR16 ABA

WATTAGES: 3W, 5W
 BEAM ANGLES: 20°, 40°, 60°
 COLOR TEMPS: 2700K, 3000K



RGBCW MR16

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR TEMP: 2200K, 2700K,
 3000K, 4000K + RGB



MR16 Foliage Enhancing

WATTAGE: 5W
 BEAM ANGLES: 20°, 40°, 60°
 COLOR TEMP: 4150K



MR16 Green

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 OUTPUT: 600 Lumens



MR16 Blue

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 OUTPUT: 50 Lumens



MR16 Orange

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 OUTPUT: 310 Lumens



MR16 Red

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 OUTPUT: 100 Lumens



MR11

WATTAGES: 2W, 4W
 BEAM ANGLES: 38°, 60°
 COLOR TEMPS: 2700K, 3000K



MR11 ABA

WATTAGES: 2W, 4W
BEAM ANGLES: 40°, 60°
COLOR TEMPS: 2700K



RGBCW MR11

WATTAGE: 3W
BEAM ANGLES: 38°
COLOR TEMP: 2200K, 2700K,
3000K, 4000K + RGB



MR11 Red

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
OUTPUT: 100 Lumens



MR11 Orange

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
OUTPUT: 300 Lumens



MR11 Blue

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
OUTPUT: 50 Lumens



MR11 Green

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
OUTPUT: 560 Lumens



MR8

WATTAGE: 2W
BEAM ANGLES: 38°
COLOR TEMPS: 2700K, 3000K



G4 Bi-Pin

WATTAGES: 1.5W, 2W, 3W, 4W
COLOR TEMPS: 2200K, 2700K,
3000K



RGBCW G4 Bi-Pin

WATTAGES: 3.5W
COLOR TEMPS: 2200K, 2700K,
3000K, 4000K + RGB

ALL LED LAMPS



G4 Blue

WATTAGES: 1.4W, 2W, 2.4W, 3W
 OUTPUT: 35 | 58 | 80 | 95 Lumens



G4 Red

WATTAGES: 1.5W, 2W, 2.4W, 3W
 OUTPUT: 22 | 35 | 45 | 65 Lumens



G4 Green

WATTAGES: 1.5W, 2W, 2.4W, 3W
 OUTPUT: 115 | 216 | 285 | 375 Lumens



G4 Orange

WATTAGES: 1.5W, 2W, 2.4W, 3W
 OUTPUT: 133 | 199 | 260 | 330 Lumens



PAR36

WATTAGES: 5W, 6W, 9W, 12W, 15W
 BEAM ANGLES: 35°, 60°
 COLOR TEMPS: 2700K, 3000K,



PAR30 (120V)

WATTAGE: 12W
 BEAM ANGLE: 36°
 COLOR TEMPS: 4000K



R7S Linear

WATTAGES: 7W, 10W
 COLOR TEMP: 2700K



GU4 Wafer Bi-Pin

WATTAGE: 2W
 COLOR TEMP: 2700K



GU4 Rectangular Bi-Pin

WATTAGE: 3W
 COLOR TEMPS: 2700K, 3000K



G5 Light Engine RGBCW

WATTAGES: 16W

COLOR: RGBW + 2200K - 4000K



G5 Light Engine CW

WATTAGES: 16W


COLOR: 2200K - 4000K



LED SCB

WATTAGES: 2W, 3W, 4W, 5W

COLOR TEMPS: 2200K, 2700K,
3000K



TRANSFORMERS & ACCESSORIES



Designed for easy installation, consistent performance, and longevity, our low voltage transformers are ETL listed to UL standards. Each transformer features high-efficiency toroidal cores, waterproof stainless steel cabinets, and timer and photocell receptacles. Our Slim Line and Clamp-Connect transformers feature clamp-type connectors that are exclusive to AMP® that save you time and money.



ALL TRANSFORMERS



100W Slim Line

WATTAGE: 100W
VOLTAGE TAPS: 15V
NUMBER OF RUNS: 4



150W Slim Line

WATTAGE: 150W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 4



300W Slim Line

WATTAGE: 300W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 5



150W Clamp-Connect

WATTAGE: 150W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 4



300W Clamp-Connect

WATTAGE: 300W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 5



300W Multi-Tap

WATTAGE: 300W
VOLTAGE TAPS: 12V, 13V, 14V, 15V
NUMBER OF RUNS: 5+



600W Multi-Tap

WATTAGE: 600W
VOLTAGE TAPS: 12V, 13V, 14V, 15V
NUMBER OF RUNS: 5+



900W Multi-Tap

WATTAGE: 900W
VOLTAGE TAPS: 12V - 22V
NUMBER OF RUNS: 5+



1200W Multi-Tap

WATTAGE: 1200W
VOLTAGE TAPS: 12V - 22V
NUMBER OF RUNS: 5+



Nano Transformer

WATTAGE: 50W
VOLTAGE TAPS: 15V
NUMBER OF RUNS: 2



Inline Power Converter

WATTAGE: 60W, 100W



Inline Power Converter

WATTAGE: 100W

TRANSFORMER ACCESSORIES



**Timer & Photocell
Extension**



**Timer & Photocell
- Slim Line**



**Heavy-Duty
Mechanical Timer**



**Mechanical Timer
- Slim Line**



G2 Astronomic Timer



**Echo Dot & Outdoor
Smart Plug**

ACCESSORIES

A large, multi-story house at night, illuminated by various outdoor lighting fixtures. The house features a prominent tree on the left, a brick driveway leading to the entrance, and several arched windows and doorways. The lighting highlights the architectural details and the surrounding landscaping, including bushes and small trees. The overall scene is a well-lit and inviting residential setting.

Regardless of the application, AMP® carries mounting accessories that get the job done.

- Fixture stakes in a variety of sizes and materials
- Trident stake for spike-mounting in turf
- Surface and canopy mounts for attaching to wood and hardscapes
- Tree mounts, gutter mounts, lanai mounts and more



ALL ACCESSORIES



RGBW "IR" Remote



Design-Master Remote



RGBCW "RF" Remote



9" PVC Ground Stake



10" PVC Hammer Stake



9" Brass Ground Stake



6" PVC Hammer Stake



13" PVC Hammer Stake



5" Brass Top /
Stainless Steel Spike
Ground Stake



Stainless Steel
Tree Mount



Solid Copper Surface
Mount



Solid Brass Black
Surface Mount



Solid Brass Surface Mount



Nano Series Surface Mount



Brass Lanai Mount / Plastic Boot



Brass Gutter Mount



Brass Black Gutter Mount



Brass Universal Gutter Mount



Brass Black Universal Gutter Mount



Surface/Gutter Mount for PuckPro




Stake Driver



Ring Motion Sensor (White)



Ring Motion Sensor (Black)



Hardscape Mounting Bracket (3", 6", 12")

ALL ACCESSORIES



2 & 3" Optic
17° | 24° | 35° | 60°



Brass Extension Riser
(6", 12", 24")



Copper Extension Riser
(6", 12", 24")



Black Extension Riser
(6", 12", 24")



Brass Telescoping Riser
(6-12", 12-24", 18-36")



Estate Size Riser
(2", 6", 12", 24")



Replacement Wicks
for PolynesianPro Tiki



Brass Stake Cover



Nano Extension Riser



2" Extended Brass Glare
Guard



3" Extended Brass Glare
Guard



TorrentPro Hardscape
Glare Guard



3" Hardscape Glare Guard



6" Hardscape Glare Guard



12" Hardscape Glare Guard



Extended PVC Downlight Glare Guard



HydraPro™ Grated Glare Guard



HydraPro™ Shielded Glare Guard



HydraPro™ Beacon Glare Guard



HydraPro™ Turret Top Glare Guard



PuckPro Grated Glare Guard



PuckPro Shielded Glare Guard



PuckPro Beacon Glare Guard



PuckPro Turret Top Glare Guard

ALL ACCESSORIES



HydraPro™ MR16 PVC Sleeve



PAR36 Well Light Debris Cover



Cap for Up/Down Sconce (Brass Bronze)



Lanai Tube Top for Up/Down Sconce (Brass Bronze)



Glow Tube Top for Up/Down Sconce (Brass Bronze)



Unidirectional Top for Up/Down Sconce (Brass Bronze)



Cap for Up/Down Sconce (Brass Black)



Lanai Tube Top for Up/Down Sconce (Brass Black)



Glow Tube Top for Up/Down Sconce (Brass Black)



Unidirectional Top for Up/Down Sconce (Brass Black)



G2 Stake Stomper



Wire Reel Stand



29" Auger Drill Bit



54" Flexible Auger Bit



Portable Battery Pack



Reusable Ground Marker



Wire Strippers



Wire Management Kit



Tree Wire Management Kit



Bistro String Guide Wire Kit (100ft)



Sales Kit



LIFETIME
WARRANTY



SOLID
CAST BRASS



FAST
SHIPPING



LISTED

UL & ETL
LISTED

AMP[®]

PROFESSIONAL PRODUCTS THAT GIVE YOU
DESIGN CONTROL